



**RACCORDI  
AUTOMATICI PVDF**

**PVDF PUSH-IN FITTINGS**

Bussola in AISI 316  
AISI 316 bush

Guarnizione in PVDF  
PVDF seal


Corpo in PVDF  
PVDF body

Anello estrattore in PVDF  
PVDF thrust ring

Pinza in 1.4310  
Clamp as 1.4310

O-ring FPM  
FPM O-ring

Nipplo in AISI 316  
AISI 316 Nipple



<b>Disponibilità standard</b>	Ø Tubo da 4 a 12 mm filetto da M5 a 3/8"	
<b>Materiali</b>	vedi disegno	
<b>Temperatura di utilizzo</b>	Ambiente	-20°C + 60°C
	Fluidi	-20°C + 120°C
<b>Pressione di Utilizzo</b>	16 bar / Max Temp. 20°C 10 bar / Max Temp. 100°C 3 bar / Max Temp. 120°C	
<b>Filettature</b>	Gas Cilindriche	Iso 228 classe A
<b>Impiego</b>	Alimentare - Industria Chimica e Medica Trattamento Acqua	
<b>Tubazioni</b>	Nylon - PA11- PA12 - poliuretano Polietilene	
<b>Opzioni</b>	-	

<b>Standard supply</b>	Ø Tube from 4 to 12 mm Thread from M5 to 3/8"	
<b>Material</b>	See drawing	
<b>Use temperature</b>	Room	-20°C + 60°C
	Fluid	-20°C + 120°C
<b>Use Pressure range</b>	16 bar / Max Temp. 20°C 10 bar / Max Temp. 100°C 3 bar / Max Temp. 120°C	
<b>Thread</b>	Parallel Gas	Iso 228 A category
<b>Use</b>	Food, Chemical and Medical Industry, Water Treatment	
<b>Tube</b>	Nylon - PA11- PA12 - Polyurethane Polyethylene	
<b>Options</b>	-	

## Raccordo diritto intermedio Straight connector



Code	Ø	Ø1	L
UR034PVDF	4	-	31,0
UR036PVDF	6	-	32,0
UR038PVDF	8	-	36,0
UR0310PVDF	10	-	41,0
UR0312PVDF	12	-	46,0
UR0346PVDF	4	6	31,5
UR0368PVDF	6	8	35,5
UR03810PVDF	8	10	40,5

## Raccordo a gomito intermedio Elbow connector



Code	Ø	Ø1	L	L1
UR044PVDF	4	4	18,3	18,5
UR046PVDF	6	6	19,0	19,0
UR048PVDF	8	8	22,0	22,0
UR0410PVDF	10	10	26,0	26,0
UR0412PVDF	12	12	31,0	31,0
UR0446PVDF	4	6	19,0	18,5
UR0468PVDF	6	8	22,0	21,5
UR04810PVDF	8	10	26,0	25,5

## Raccordo a T intermedio Tee connector

Code	Ø	Ø1	L
UR054PVDF	4	-	18,5
UR056PVDF	6	-	19,5
UR058PVDF	8	-	22,0
UR0510PVDF	10	-	26,0
UR0512PVDF	12	-	31,0
UR0546PVDF	4	6	19,0
UR0568PVDF	6	8	22,0
UR05810PVDF	8	10	28,0



## Raccordo a T girevole centrale con OR Swivel tee parallel central adapter with O-ring

Code	Ø	F	P	L	L1	CH
UR20184PVDF	4	1/8	5	18,5	19,5	13
UR20144PVDF	4	1/4	7	18,5	20,0	17
UR20186PVDF	6	1/8	5	19,0	19,5	13
UR20146PVDF	6	1/4	7	19,0	20,0	17
UR20188PVDF	8	1/8	5	22,0	22,0	14
UR20148PVDF	8	1/4	7	22,0	22,5	17
UR201388PVDF	8	3/8	8	22,0	22,5	19
UR201410PVDF	10	1/4	7	26,0	25,5	17
UR203810PVDF	10	3/8	8	26,0	25,5	19
UR201412PVDF	12	1/4	7	31,0	30,5	17
UR203812PVDF	12	3/8	8	31,0	30,5	19



**Raccordo a gomito cilindrico maschio con OR**  
**Elbow male parallel adapter with O-ring**



Code	Ø	F	P	L	L1	CH1
UR22M54PVDF	4	M5	3,5	17,0	9,0	8
UR22184PVDF	4	1/8	5	18,5	19,5	13
UR22144PVDF	4	1/4	7	18,5	20,0	17
UR22M56PVDF	6	M5	3,5	18,0	10,0	8
UR22186PVDF	6	1/8	5	19,0	19,5	13
UR22146PVDF	6	1/4	7	19,0	20,0	17
UR22188PVDF	8	1/8	5	22,0	22,0	14
UR22148PVDF	8	1/4	7	22,0	22,5	17
UR22388PVDF	8	3/8	8	22,0	22M5	19
UR221410PVDF	10	1/4	7	26,0	25,5	17
UR223810PVDF	10	3/8	8	26,0	25,5	19
UR221412PVDF	12	1/4	8	31,0	30,5	17
UR223812PVDF	12	3/8	8	31,0	30,5	19